

UNITED STATES DISTRICT COURT
THE SOUTHERN DISTRICT OF OHIO
EASTERN DIVISION

IN RE: DAVOL, INC./C.R. BARD,
INC., POLYPROPYLENE HERNIA
MESH PRODUCTS LIABILITY
LITIGATION

Case No. 2:18-md-2846

Judge Edmund A. Sargus, Jr.
Magistrate Judge Kimberly A. Jolson

This document relates to:
Johnson v. Davol, Inc., et al.
Case No. 2:22-cv-106

ORDER

On May 7, 2021, Plaintiff Linton Johnson filed a complaint in this multidistrict litigation (“MDL”) (Case No. 21-cv-2329, ECF No. 1). In the complaint, Plaintiff asserts several claims based on alleged injuries caused by a Ventralight ST hernia mesh patch, a product manufactured by Defendants that is part of this MDL, and a Phasix ST. (*Id.*) On January 12, 2022, through different counsel, Plaintiff filed another complaint in this MDL, also alleging injuries caused by the Ventralight ST. (ECF No. 1.) On March 17, 2023, Defendants filed a motion to dismiss the instant action as duplicative of Case No. 21-cv-2329. (ECF No. 4.) Plaintiff did not file a response, and the Court will therefore treat the motion as unopposed. Accordingly, Defendants’ motion (ECF No. 4) is **GRANTED** and this case is **DISMISSED**.

IT IS SO ORDERED.

4/17/2023
DATE

s/Edmund A. Sargus, Jr.
EDMUND A. SARGUS, JR.
UNITED STATES DISTRICT JUDGE